
Webcam System

The webcam is used to show the laboratory operations on the large projector screen. The webcam is mounted on a boom and is connected to the computer by a USB-Over-CAT5 cable. The CAT5 cable, which is a regular network cable, can be 25 or 50 feet long. To display the webcam on the computer, we us a free program called Yawcam (Yet Another Webcam) from http://www.yawcam.com. The total cost of the webcam system is about \$240 plus tax and shipping.



The main window of Yawcam program



Logitech HD Pro Webcam C920, 1080p Widescreen Video Calling and Recording

Vendor: Amazon

Catalog Number: B006JH8T3S

Price: \$72.25

Webcam System Page 1



SANOXY® USB over Cat5/5e/6 Extension Cable RJ45 Adapter Set

Vendor: Amazon

Catalog Number: B004XYEXX4

Price: \$12.99



AmazonBasics RJ45 Cat5e Ethernet Patch Cable (25 feet) Vendor: Amazon

Catalog Number: B00B2GD29M

Price: \$6.49



Heil Sound WM-1 Vertical Surface Mount for Heil Booms

Vendor: Amazon

Catalog Number: B0018TAIQI

Price: \$22.00

Webcam System Page 2



On-Stage CM01 Camera/Digital Recorder Microphone Stand Mount

Vendor: Amazon

Catalog Number: B001GWCC4I

Price: \$6.38



Heil Sound PL-2T Overhead Broadcast Boom

Vendor: Amazon

Catalog Number: B000SZVZ74 Price: \$120.00

Webcam System Page 3